

SUSTAINABLE FISHERIES MANAGEMENT IN INLAND WATER BODIES

Dr. Pradip Dey

Director

ICAR–Central Inland Fisheries Research Institute (ICAR-CIFRI)

Barrackpore, West Bengal, India

Abstract

Inland water bodies, including rivers, lakes, reservoirs, floodplains, wetlands, and ponds, provide fish, livelihoods, nutrition, recreation, and ecological services to communities across diverse regions. Yet these fisheries are often managed under conditions of incomplete catch data, declining habitat quality, altered flow regimes, pollution, invasive species, and pressure from competing water uses. Sustainable fisheries management therefore requires a framework that treats fish stocks, aquatic habitats, fishers' livelihoods, local institutions, and basin-level water decisions as interdependent. This paper examines the core principles and operational requirements of sustainable fisheries management in inland water bodies. It uses a conceptual and secondary-literature-based approach to synthesize evidence on ecosystem-based management, community co-management, habitat and flow protection, fishing-effort regulation, stock assessment, livelihood diversification, and adaptive governance. The study proposes an Inland Fisheries Sustainability Management Framework that links ecological condition with participatory management and accountable institutions. An illustrative management readiness scorecard is included to show how local agencies, fisheries cooperatives, researchers, and watershed planners may assess progress in stock protection, habitat integrity, compliance, data quality, and resilience. The analysis indicates that sustainable inland fisheries cannot be achieved through catch restrictions alone. Effective outcomes depend on reliable local monitoring, protection of spawning and nursery areas, environmentally appropriate flows, fair access rules, community participation, conflict resolution, and livelihood support during closed seasons. The framework provides a practical basis for future field research and for designing locally appropriate policies that conserve inland fish populations while sustaining the well-being of fish-dependent communities.

Keywords: *Inland Fisheries, Sustainable Fisheries Management, Freshwater Ecosystems, Co-management, Fish Stock Assessment, Environmental Flows, Habitat Conservation, Small-Scale Fisheries, Aquatic Biodiversity, Adaptive Governance.*

1. INTRODUCTION

Inland fisheries are closely linked to the social and ecological condition of rivers, lakes, reservoirs, wetlands, floodplains, and other freshwater systems. They contribute to household nutrition, employment, local trade, cultural identity, and recreation, particularly where rural communities rely on locally available aquatic foods. Unlike many large industrial fisheries, inland fisheries are frequently dispersed across small landing sites, seasonal waters, and informal markets. Their economic and food-security contribution can therefore be undervalued when management depends only on officially reported catch statistics.

Sustainable fisheries management refers to the planned use, protection, and restoration of fishery resources in a way that maintains

ecological productivity while supporting equitable and durable livelihood opportunities. In inland water bodies, this task is complex because fishing pressure interacts with habitat alteration, water abstraction, dams, pollution, sedimentation, invasive species, climate variability, and changes in watershed land use. A management strategy that considers only harvesting rules, without addressing these linked pressures, is unlikely to maintain fish populations or improve fishing-community well-being.

The ecosystem approach to fisheries provides a useful foundation because it connects fishery objectives with habitat conservation, biodiversity protection, water governance, and stakeholder participation. In practice, management may involve seasonal closures, size limits, gear restrictions, no-take breeding

areas, habitat rehabilitation, environmental-flow protection, and community-based monitoring. The choice of measures should reflect local fish biology, hydrology, fishing practices, customary rights, market conditions, and enforcement capacity.

This paper develops an integrated conceptual account of sustainable fisheries management in inland water bodies. It reviews key literature, identifies the main management dimensions, proposes an Inland Fisheries Sustainability Management Framework, and presents an illustrative scorecard for management readiness. The purpose is to support academic discussion and provide a structured guide for fisheries managers, watershed planners, community organizations, researchers, and policymakers.

2. LITERATURE REVIEW

Research on inland fisheries emphasizes that freshwater systems support multiple ecosystem services, but fish and fisheries are often underrepresented in land-use and water-resource decisions. Cooke et al. (2016) argue that inland fisheries need greater recognition because their sustainability depends on fish stocks, habitats, institutions, and social benefits rather than catch reporting alone. Lynch et al. (2016) further show that inland fish and fisheries contribute to food security, household income, cultural services, health, and environmental monitoring, yet these

benefits are difficult to value through conventional markets.

The literature also identifies several interrelated threats. Overfishing, destructive gear, habitat fragmentation, flow alteration, pollution, and invasive species can reduce population resilience and disrupt ecological processes that sustain fisheries. Allan et al. (2005) highlight that inland overfishing may remain concealed when changes in species composition or catch quality are not captured by aggregate production statistics. Freshwater biodiversity studies likewise identify hydrological alteration, habitat loss, contamination, overexploitation, and biological invasions as persistent challenges for rivers and wetlands.

Co-management and adaptive governance are increasingly emphasized as responses to the limitations of centralized control. Community participation can improve local information, strengthen compliance, and make rules more legitimate when fishers take part in developing access arrangements, closed seasons, and sanctuary measures. However, co-management is not a single solution: it requires clear rights, inclusive representation, conflict resolution, transparent benefit-sharing, technical support, and coordination with broader water and biodiversity policy.

2.1 SUMMARY OF PREVIOUS STUDIES

Author(s)	Method / Technique	Major Findings	Research Gap
Allan et al. (2005)	Review of inland overfishing	Shows that declines can be hidden by weak reporting and multiple pressures.	Calls for better integration of fishery and freshwater conservation data.
Welcomme et al. (2010)	Global synthesis of inland capture fisheries	Links fisheries to food security, livelihoods, and river-lake dynamics.	Requires locally tailored governance and management indicators.
Cooke et al. (2016)	Sustainability review	Identifies the need to elevate inland fisheries in policy and management.	Does not provide a simple local readiness scorecard.
Lynch et al. (2016)	Social, economic, and ecological review	Explains the broad benefits of inland fish and fisheries.	Valuation gaps limit integration in water planning.
Fluet-Chouinard et al. (2018)	Household-survey analysis	Shows that freshwater harvest may be materially underreported.	Household data need linking with local ecological monitoring.
Funge-Smith et al. (2019)	Food-security and livelihoods review	Repositions inland fisheries within nutrition	Calls for stronger cross-sector integration.

		and livelihood debates.	
Arthington et al. (2018)	Environmental-flow agenda	Highlights flow protection as a foundation for healthy aquatic ecosystems.	Requires translation into fishery-specific local rules.
FAO (2024)	Global inland fisheries review	Synthesizes global trends and the sector's role in food security and livelihoods.	Local adaptation remains essential for implementation.

3. OBJECTIVES OF THE STUDY

The central purpose of this study is to develop a structured understanding of the conditions that enable inland fisheries to remain ecologically productive, socially legitimate, and economically beneficial over time. The paper combines fisheries-management principles with freshwater conservation and governance literature.

3.1 PRIMARY OBJECTIVE

The primary objective of this study is to examine the determinants of sustainable fisheries management in inland water bodies and to propose a practical framework for assessing management readiness, ecological protection, and community resilience.

- To identify ecological, social, and institutional factors that influence the sustainability of inland fisheries.
- To examine the role of fish stock monitoring, habitat protection, and fishing-effort regulation.
- To explain how co-management, compliance, and livelihood security affect long-term fisheries outcomes.
- To develop a conceptual Inland Fisheries Sustainability Management Framework and an illustrative readiness scorecard.

3.2 SECONDARY OBJECTIVES

The secondary objectives focus on operational actions and enabling conditions for responsible inland-fisheries governance.

- To review previous literature on inland fisheries, freshwater biodiversity, and ecosystem-based management.
- To assess the relevance of environmental flows, spawning refuges, gear regulation, and seasonal closures.
- To identify the value of local catch records, participatory monitoring, and transparent data sharing.

- To examine the contribution of alternative livelihoods and social protection during conservation closures.
- To outline an indicator-based approach for monitoring habitat integrity, stock condition, compliance, and resilience.
- To provide practical recommendations for fisheries departments, watershed agencies, and fishing communities.

4. RESEARCH METHODOLOGY

This study uses a conceptual, descriptive, and secondary-literature-based methodology. The analysis draws on peer-reviewed research, international fisheries guidance, freshwater biodiversity literature, and institutional reports concerned with inland capture fisheries and sustainable resource governance. The study does not claim field-survey results; instead, it organizes established evidence into a coherent management framework that can be tested through future case studies, household surveys, fishery assessments, and longitudinal monitoring.


The proposed framework groups sustainable inland fisheries management into seven related dimensions: fish-stock condition, habitat and flow protection, fishing-effort regulation, community co-management, governance and compliance, monitoring and data quality, and climate and livelihood resilience. Each dimension can be reviewed through observable indicators such as catch-per-unit effort trends, breeding-season protection, habitat connectivity, gear compliance, participation of women and marginalized fishers, meeting records, conflict resolution, and the availability of reliable catch and habitat information.

For explanatory purposes, the paper uses a weighted Inland Fisheries Sustainability Management Index: $IFSMI = 0.20(\text{Fish-Stock Condition}) + 0.15(\text{Habitat and Flow Protection}) + 0.15(\text{Fishing-Effort Regulation})$

+ 0.15(Community Co-management) +
0.15(Governance and Compliance) +
0.10(Monitoring and Data Quality) +
0.10(Climate and Livelihood Resilience). The
weights are illustrative and should be refined

through site-specific ecological data,
stakeholder validation, and empirical testing.
A higher score represents stronger readiness to
maintain fish populations, protect habitat, and
sustain community benefits.

Figure 4.1: Conceptual Progression in Sustainable Inland Fisheries Management



Note: The chart is a conceptual illustration of the proposed framework and does not report a field survey.

5. DATA ANALYSIS

The data-analysis component operationalizes the proposed framework through an indicator-based readiness scorecard. Because this manuscript is conceptual, the values in Table 5.1 are illustrative benchmark values. They demonstrate how a fisheries department, local

co-management committee, or researcher can compare current conditions with a management target. The scorecard is not a substitute for biological stock assessment or community consultation; it is a transparent template for diagnosis and future empirical measurement.

5.1 ILLUSTRATIVE INLAND FISHERIES MANAGEMENT SCORECARD

Evaluation Dimension	Indicative Baseline	Sustainable Target	Interpretation / Improvement Focus
Fish-stock condition	54%	80%	Catch and size data, spawning-season protection, and stock trend review.
Habitat and flow protection	50%	82%	Protect refuges, improve connectivity, and coordinate environmental flows.
Fishing-effort regulation	58%	84%	Gear rules, seasonal closures, size limits, and fair access arrangements.
Community co-management	56%	85%	Representative committees, local rule-setting, and benefit-sharing.
Governance and compliance	48%	78%	Clear rules, transparent enforcement, and conflict-resolution procedures.
Monitoring and data quality	42%	82%	Landing records, participatory surveys, and habitat observations.
Climate and livelihood resilience	45%	76%	Diversified incomes, contingency plans, and social support in closed seasons.

The illustrative scorecard shows that sustainability is strengthened through a combined improvement in ecological protection, participatory governance, and practical monitoring. The largest improvement potential is often in data quality, habitat protection, and compliance, because these dimensions make it easier to identify declining stocks early, explain decisions to fishers, and adapt rules as conditions change. In practical use, each indicator should be tailored to the water body's ecology, fishing season, user groups, legal setting, and available management capacity.

6. DISCUSSION

The proposed framework demonstrates that sustainable inland fisheries management is multidimensional. Fishing restrictions are important, but restrictions alone cannot maintain a fishery when spawning grounds are degraded, environmental flows are absent, land-based pollution remains uncontrolled, or users regard rules as unfair. Effective management must connect harvest decisions with the ecological processes that sustain aquatic food webs and with the social arrangements that shape compliance.

Habitat and flow protection should be treated as central fishery-management actions. Fish migration, recruitment, nursery habitat, and seasonal productivity can be affected by altered river connectivity, reservoir operations, shoreline modification, wetland loss, and water withdrawals. Collaboration between fisheries departments, water agencies, pollution-control authorities, and local communities is therefore essential. Measures such as fish sanctuaries, restoration of riparian vegetation, protection of floodplain connections, and environmental-flow planning can strengthen ecological resilience when matched to local conditions.

Co-management can improve the legitimacy and practical enforcement of local rules, particularly where agencies have limited presence across dispersed water bodies. Fishers possess detailed observations about

seasonal movement, habitats, catch composition, and local conflicts. These observations can supplement scientific surveys when community monitoring is structured, inclusive, and transparently shared. At the same time, co-management must avoid excluding women, small-scale fishers, landless households, or customary users from decisions about access, benefits, and conservation costs. Reliable data remain a major management challenge. Landing-site sampling, community catch diaries, catch-per-unit-effort trends, size-frequency records, habitat observations, and local reporting of illegal gear can provide valuable evidence even where formal assessment capacity is limited. Data should be used for adaptive management: management measures should be reviewed periodically, with rules adjusted when evidence shows changes in fish populations, habitat condition, compliance, or livelihood risk.

7. CONCLUSION

Sustainable fisheries management in inland water bodies depends on maintaining healthy freshwater ecosystems, responsible harvesting, inclusive governance, and resilient livelihoods. It is not defined only by the amount of fish harvested; it is shaped by the capacity of rivers, lakes, reservoirs, wetlands, and floodplains to sustain fish populations and by the ability of communities and institutions to manage competing uses fairly. The proposed Inland Fisheries Sustainability Management Framework integrates ecological condition, co-management, monitoring, compliance, and resilience into a structured approach for local assessment.

The illustrative scorecard can help identify where action is most needed, whether in stock monitoring, habitat protection, enforcement, participation, or livelihood support. Future research should test the framework with site-specific ecological and community data. An evidence-informed approach can support inland fish diversity, food security, and the livelihoods of fish-dependent communities.

8. REFERENCES

1. Allan, J. D., Abell, R., Hogan, Z. E. B., Revenga, C., Taylor, B. W., Welcomme, R. L., & Winemiller, K. (2005). Overfishing of inland waters. *BioScience*, 55(12), 1041–1051. [https://doi.org/10.1641/0006-3568\(2005\)055\[1041:OOIW\]2.0.CO;2](https://doi.org/10.1641/0006-3568(2005)055[1041:OOIW]2.0.CO;2)

2. Arthington, A. H., Bhaduri, A., Bunn, S. E., Jackson, S. E., Tharme, R. E., Tickner, D., Horne, A. C., Kendy, E., McClain, M. E., & others. (2018). The Brisbane Declaration and Global Action Agenda on Environmental Flows (2018). *Frontiers in Environmental Science*, 6, 45. <https://doi.org/10.3389/fenvs.2018.00045>
3. Béné, C., & Friend, R. M. (2011). Poverty in small-scale fisheries: Old issue, new analysis. *Progress in Development Studies*, 11(2), 119–144. <https://doi.org/10.1177/146499341001100203>
4. Béné, C., Barange, M., Subasinghe, R., Pinstrup-Andersen, P., Merino, G., Hemre, G.-I., & Williams, M. (2015). Feeding 9 billion by 2050 – Putting fish back on the menu. *Food Security*, 7, 261–274. <https://doi.org/10.1007/s12571-015-0427-z>
5. Convention on Biological Diversity. (2022). Kunming-Montreal Global Biodiversity Framework. Montreal: Secretariat of the Convention on Biological Diversity.
6. Cooke, S. J., Allison, E. H., Beard, T. D., Arlinghaus, R., Arthington, A. H., Bartley, D. M., Cowx, I. G., Fuentevilla, C., Leonard, N. J., Lorenzen, K., Lynch, A. J., Nguyen, V. M., Youn, S.-J., Taylor, W. W., & Welcomme, R. L. (2016). On the sustainability of inland fisheries: Finding a future for the forgotten. *Ambio*, 45(7), 753–764. <https://doi.org/10.1007/s13280-016-0787-4>
7. Cowx, I. G., & Portocarrero Aya, M. (2011). Paradigm shifts in fish conservation: Moving to the ecosystem services concept. *Journal of Fish Biology*, 79(6), 1663–1680. <https://doi.org/10.1111/j.1095-8649.2011.03090.x>
8. Dudgeon, D., Arthington, A. H., Gessner, M. O., Kawabata, Z.-I., Knowler, D. J., Lévêque, C., Naiman, R. J., Prieur-Richard, A.-H., Soto, D., Stiassny, M. L. J., & Sullivan, C. A. (2006). Freshwater biodiversity: Importance, threats, status and conservation challenges. *Biological Reviews*, 81(2), 163–182. <https://doi.org/10.1017/S1464793105006950>
9. FAO. (1995). Code of Conduct for Responsible Fisheries. Rome: Food and Agriculture Organization of the United Nations.
10. FAO. (2003). The ecosystem approach to fisheries. FAO Technical Guidelines for Responsible Fisheries No. 4, Suppl. 2. Rome: Food and Agriculture Organization of the United Nations.
11. FAO. (2015). Voluntary Guidelines for Securing Sustainable Small-Scale Fisheries in the Context of Food Security and Poverty Eradication. Rome: Food and Agriculture Organization of the United Nations.
12. FAO. (2024a). The State of World Fisheries and Aquaculture 2024: Blue Transformation in Action. Rome: Food and Agriculture Organization of the United Nations. <https://doi.org/10.4060/cd0683en>
13. FAO. (2024b). Review of the State of World Fishery Resources: Inland Fisheries (Fourth Edition). Rome: Food and Agriculture Organization of the United Nations. <https://doi.org/10.4060/cd2169en>
14. Fluet-Chouinard, E., Funge-Smith, S., & McIntyre, P. B. (2018). Global hidden harvest of freshwater fish revealed by household surveys. *Proceedings of the National Academy of Sciences*, 115(29), 7623–7628. <https://doi.org/10.1073/pnas.1721097115>
15. Funge-Smith, S., Briggs, E. R., & Miao, W. (2019). A fresh look at inland fisheries and their role in food security and livelihoods. *Fish and Fisheries*, 20(6), 1176–1196. <https://doi.org/10.1111/faf.12403>
16. Grill, G., Lehner, B., Thieme, M., Geenen, B., Tickner, D., Antonelli, F., Babu, S., Borrelli, P., Cheng, L., Crochetiere, H., Ehalt Macedo, H., Filgueiras, R., Goichot, M., Higgins, J., Hogan, Z., Lip, B., McClain, M. E., Meng, J., Mulligan, M., Nilsson, C., Olden, J. D., Opperman, J. J., Petry, P., Reidy Liermann, C., Saenz, L., Salinas-Rodriguez, S., Schelle, P., Schmitt, R. J. P., Snider, J., Tan, F., Tockner, K., Valdujo, P. H., van Soesbergen, A., & Zarfl, C. (2019). Mapping the world's free-flowing rivers. *Nature*, 569, 215–221. <https://doi.org/10.1038/s41586-019-1111-9>
17. IPBES. (2019). Global Assessment Report on Biodiversity and Ecosystem Services. Bonn: Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services.
18. Lynch, A. J., Cooke, S. J., Deines, A. M., Bower, S. D., Bunnell, D. B., Cowx, I. G., Nguyen, V. M., Nohner, J., Phouthavong, K., Riley, B., Rogers, M. W., Taylor, W. W., Woelmer, W., Youn, S.-J., & Beard, T. D. (2016). The social, economic, and environmental importance of inland fish and fisheries. *Environmental Reviews*, 24(2), 115–121. <https://doi.org/10.1139/er-2015-0064>

19. Lynch, A. J., Cowx, I. G., Fluet-Chouinard, E., Glaser, S. M., Phang, S. C., Beard, T. D., Bower, S. D., Brooks, J. L., Bunnell, D. B., Claussen, J. E., Cooke, S. J., & others. (2017). Inland fisheries – Invisible but integral to the UN Sustainable Development Agenda for ending poverty by 2030. *Global Environmental Change*, 47, 167–173. <https://doi.org/10.1016/j.gloenvcha.2017.10.005>
20. McIntyre, P. B., Liermann, C. A. R., & Revenga, C. (2016). Linking freshwater fishery management to global food security and biodiversity conservation. *Proceedings of the National Academy of Sciences*, 113(45), 12880–12885. <https://doi.org/10.1073/pnas.1521540113>
21. Ramsar Convention on Wetlands. (2018). *Global Wetland Outlook: State of the World's Wetlands and Their Services to People*. Gland, Switzerland: Ramsar Convention Secretariat.
22. Reid, A. J., Carlson, A. K., Creed, I. F., Eliason, E. J., Gell, P. A., Johnson, P. T. J., Kidd, K. A., MacCormack, T. J., Olden, J. D., Ormerod, S. J., Smol, J. P., Taylor, W. W., Twardek, W. M., Vermaire, J. C., Dudgeon, D., & Cooke, S. J. (2019). Emerging threats and persistent conservation challenges for freshwater biodiversity. *Biological Reviews*, 94(3), 849–873. <https://doi.org/10.1111/brv.12480>
23. Taylor, W. W., Bartley, D. M., Goddard, C. I., Leonard, N. J., & Welcomme, R. L. (2016). *Freshwater, fish and the future: Proceedings of the Global Cross-Sectoral Conference*. Bethesda, MD: American Fisheries Society.
24. Tickner, D., Opperman, J. J., Abell, R., Acreman, M., Arthington, A. H., Bunn, S. E., Cooke, S. J., Dalton, J., Darwall, W., Edwards, G., Harrison, I., Hughes, K., Jones, T., Leclère, D., Lynch, A. J., Leonard, P., McClain, M. E., Muruven, D., Olden, J. D., Ormerod, S. J., Robinson, J., Tharme, R. E., Thieme, M., Tockner, K., Wright, M., & Young, L. (2020). Bending the curve of global freshwater biodiversity loss: An emergency recovery plan. *BioScience*, 70(4), 330–342. <https://doi.org/10.1093/biosci/biaa002>
25. United Nations. (2015). *Transforming Our World: The 2030 Agenda for Sustainable Development*. New York: United Nations.
26. Welcomme, R. L., Cowx, I. G., Coates, D., Béné, C., Funge-Smith, S., Halls, A., & Lorenzen, K. (2010). Inland capture fisheries. *Philosophical Transactions of the Royal Society B*, 365(1554), 2881–2896. <https://doi.org/10.1098/rstb.2010.0168>
27. WorldFish. (2016). *The Rome Declaration: Ten Steps to Responsible Inland Fisheries*. Penang, Malaysia: WorldFish.
28. Craig, J. F. (Ed.). (2015). *Freshwater Fisheries Ecology*. Wiley-Blackwell. <https://doi.org/10.1002/9781118394380>
29. Poff, N. L., Richter, B. D., Arthington, A. H., Bunn, S. E., Naiman, R. J., Kendy, E., Acreman, M., Apse, C., Bledsoe, B. P., Freeman, M. C., Henriksen, J., Jacobson, R. B., Kennen, J. G., Merritt, D. M., O'Keefe, J. H., Olden, J. D., Rogers, K., Tharme, R. E., & Warner, A. (2010). The ecological limits of hydrologic alteration (ELOHA): A new framework for developing regional environmental flow standards. *Freshwater Biology*, 55(1), 147–170. <https://doi.org/10.1111/j.1365-2427.2009.02204.x>
30. Vörösmarty, C. J., McIntyre, P. B., Gessner, M. O., Dudgeon, D., Prusevich, A., Green, P., Glidden, S., Bunn, S. E., Sullivan, C. A., Reidy Liermann, C., & Davies, P. M. (2010). Global threats to human water security and river biodiversity. *Nature*, 467, 555–561. <https://doi.org/10.1038/nature09440>