

SUSTAINABLE HOUSING MODELS FOR LOW-INCOME URBAN FAMILIES

Prof. Uttam Kumar Roy

Professor, Department of Architecture and Planning
Indian Institute of Technology Roorkee, Uttarakhand, India

Abstract

Rapid urbanization, rising land values, insecure employment, and unequal access to finance have made adequate housing difficult to obtain for many low-income urban families. Housing shortages are not only associated with insufficient dwelling units; they also involve poor location, insecure tenure, inadequate infrastructure, overcrowding, high energy costs, and weak protection from climate-related hazards. This paper presents Sustainable Housing Models for Low-Income Urban Families, a policy and design framework that combines affordability, incremental construction, compact land use, climate-responsive design, resource-efficient services, community participation, and inclusive financing. The framework begins with a household-needs and site assessment that considers income stability, family size, livelihood patterns, access to transport, tenure conditions, and exposure to environmental risk. Housing options are then selected through a modular approach that supports serviced plots, incremental core housing, rental housing, cooperative housing, in-situ upgrading, and mixed-income development according to local conditions. Low-cost, durable materials; passive cooling and daylighting; rainwater harvesting; decentralized sanitation; rooftop solar readiness; and waste-sensitive construction are incorporated to reduce long-term operating costs while improving household health and resilience. A transparent affordability and sustainability assessment is proposed using indicators such as housing-cost burden, life-cycle cost, energy efficiency, water efficiency, indoor comfort, land-use efficiency, tenure security, community participation, and climate resilience. The scenario-based analysis in this paper illustrates how integrated sustainable housing models can deliver stronger social, environmental, and economic outcomes than conventional low-cost housing approaches that focus only on initial construction cost.

Keywords: Sustainable Housing, Affordable Housing, Low-Income Families, Urban Planning, Incremental Housing, Green Building, Climate Resilience, Housing Finance, Community Participation, Inclusive Cities.

1. INTRODUCTION

Cities continue to attract households seeking employment, education, healthcare, and social mobility, yet the supply of well-located and affordable housing has not kept pace with demand. For low-income urban families, housing decisions are often shaped by irregular income, high rent-to-income ratios, insecure tenure, limited savings, expensive credit, and the need to remain close to jobs and public services. As a result, many families occupy overcrowded rental rooms, informal settlements, peripheral layouts with weak transport connections, or unsafe structures that do not provide reliable water, sanitation, ventilation, or protection from heat and flooding. Housing policy must therefore move beyond the narrow objective of producing the largest possible number of low-cost units and instead address affordability, location, services, tenure, environmental quality, and household livelihoods together.

Conventional low-cost housing programmes frequently prioritize the initial construction price of a dwelling. Although this can increase the number of units delivered in the short term, it may overlook the long-term cost of energy, water, repairs, commuting, and poor-quality construction. A dwelling located far from work opportunities may appear affordable at the time of purchase but become unaffordable when transport costs and lost work time are included. Similarly, housing that lacks shading, ventilation, drainage, or durable materials can create recurring financial and health burdens for households. Sustainable housing models respond to these concerns by assessing life-cycle affordability and by integrating housing with land use, mobility, infrastructure, social services, and climate adaptation.

Sustainable housing for low-income families does not mean applying expensive green technologies to small homes. It means

choosing locally appropriate solutions that lower resource consumption, improve living conditions, and remain financially feasible. Passive design strategies such as orientation, cross-ventilation, thermal insulation, shading devices, daylighting, and moisture control can reduce dependence on mechanical cooling and lighting. Rainwater storage, low-flow fixtures, decentralized wastewater treatment, solid-waste segregation, and solar-ready roofs can lower utility costs and improve service reliability. When combined with secure tenure, incremental construction, flexible unit layouts, and community-managed infrastructure, these interventions can strengthen both affordability and resilience.

A further challenge is that low-income households are not a homogeneous group. Some households require secure rental accommodation near jobs, while others need a serviced plot or starter unit that can expand as income grows. Female-headed households, migrant workers, older persons, persons with disabilities, and families working from home may have particular space, safety, accessibility, and tenure needs. An effective housing programme should therefore offer multiple pathways rather than a single standard dwelling type. The Sustainable Housing Models for Low-Income Urban Families framework proposed in this study is designed as a flexible decision-support approach that matches housing solutions to local land, income, infrastructure, environmental, and institutional conditions.

The paper develops a structured framework that links household affordability analysis with sustainable design and implementation planning. It considers serviced land, incremental core housing, rental housing, cooperative ownership, in-situ settlement upgrading, and mixed-income development as complementary options. The framework also emphasizes participatory planning, transparent beneficiary selection, accessible housing finance, quality control, and post-occupancy support. By bringing these elements together, the proposed approach aims to create housing environments that are not only affordable at entry but also healthy, adaptable, resource-efficient, well-connected, and socially inclusive over time.

2. LITERATURE REVIEW

Research on affordable and sustainable housing has consistently shown that the quality of housing cannot be assessed only through the number of units built. Studies on housing policy emphasize the importance of land availability, infrastructure, tenure arrangements, finance, construction systems, and local governance. Early work on self-help and incremental housing demonstrated that households can improve their dwellings over time when they have secure access to land, basic services, technical support, and realistic financing options. Later research on urban upgrading and community-led development expanded this perspective by highlighting the role of resident participation, collective savings, local knowledge, and negotiated tenure security.

The sustainability literature adds an environmental and life-cycle perspective to housing policy. Energy-efficient envelopes, passive cooling, water-sensitive design, low-carbon materials, waste reduction, and climate-resilient site planning can reduce the long-term costs of housing and improve comfort. However, green design measures must be adapted to local climate, material supply chains, construction skills, and maintenance capacity. A technically advanced intervention that cannot be repaired or operated by residents may not be sustainable in practice. Consequently, current housing research increasingly supports context-sensitive solutions that balance durability, affordability, resource efficiency, and ease of maintenance.

A major gap in the existing literature is the fragmented treatment of affordability and sustainability. Some studies focus on unit cost, subsidies, or mortgage access, while others focus on environmental performance without examining whether the solution is accessible to low-income households. There is a need for integrated models that measure housing-cost burden, life-cycle cost, location efficiency, climate resilience, tenure security, and community participation together. The proposed framework addresses this gap by organizing these dimensions into a practical housing-model selection and evaluation process.

2.1 SUMMARY OF PREVIOUS STUDIES

Author(s)	Method / Technique	Major Findings	Research Gap
Turner (1976)	Incremental and self-help housing	Demonstrated the value of housing flexibility and user control.	Limited integration of climate resilience and resource efficiency.
Angel (2000)	Housing policy and land-market analysis	Highlighted the role of land supply, regulation, and finance in housing outcomes.	Less emphasis on household-level sustainability performance.
Payne (2005)	Slum upgrading and tenure strategies	Showed that upgrading can reduce vulnerability and improve services.	Requires stronger life-cycle affordability assessment.
Boonyabancha (2005)	Community-led upgrading	Demonstrated the potential of savings groups and community participation.	Scalability depends on supportive municipal institutions.
Buckley & Kalarickal (2005)	Housing policy in developing countries	Emphasized enabling markets, subsidies, and institutional reforms.	Limited focus on low-carbon construction and climate risk.
Bredenoord & van Lindert (2010)	Pro-poor housing approaches	Identified diversity of affordable housing delivery models.	Need for integrated indicators across social and environmental dimensions.
UN-Habitat (2020)	Sustainable urbanization assessment	Connected housing with equity, infrastructure, and inclusive urban growth.	Requires local model-selection tools for implementation.
IPCC (2022)	Climate-risk assessment	Highlighted urban exposure to heat, flooding, and climate extremes.	Housing-specific affordability pathways need stronger operational detail.
United Nations (2016)	New Urban Agenda	Called for adequate housing and integrated urban planning.	Broad policy guidance; local project evaluation methods remain needed.

3. OBJECTIVES OF THE STUDY

The primary objective of this research is to develop Sustainable Housing Models for Low-Income Urban Families that combine affordability, environmental responsibility, social inclusion, and long-term household resilience. The proposed framework integrates housing design, site planning, infrastructure, finance, tenure, governance, and community participation to support practical and scalable urban housing solutions. It aims to assist decision-makers in selecting housing

approaches that reduce the combined burden of rent or mortgage payments, utilities, maintenance, transport, and climate-related risk.

3.1 PRIMARY OBJECTIVE

The primary objective of this study is to design a flexible sustainable housing framework that identifies appropriate housing models for low-income urban families and evaluates each option using affordability, life-cycle cost, environmental performance, tenure security,

accessibility, and community well-being indicators.

PRIMARY OBJECTIVE POINTS

- To develop sustainable housing models suitable for low-income urban families.
- To assess affordability through housing-cost burden and life-cycle cost rather than initial construction cost alone.
- To integrate climate-responsive design, energy efficiency, water efficiency, and durable low-cost materials.
- To support secure tenure, safe locations, access to services, and proximity to livelihoods.
- To identify adaptable delivery options such as incremental housing, rental housing, cooperative housing, in-situ upgrading, and mixed-income development.

3.2 SECONDARY OBJECTIVES

The secondary objectives focus on implementation feasibility, local adaptability, household participation, financing access, and measurable sustainability performance. These objectives support a housing programme that can respond to different family structures, income patterns, urban land conditions, and climate risks.

SECONDARY OBJECTIVE POINTS

- To identify household needs relating to income, family size, work patterns, accessibility, safety, and tenure.
- To evaluate land suitability, infrastructure availability, transport access, and environmental risk at potential housing sites.
- To develop modular and incremental dwelling layouts that allow safe future expansion.
- To promote locally available, durable, low-maintenance, and resource-efficient construction materials.
- To incorporate passive cooling, daylighting, rainwater harvesting, sanitation, and solar-ready design features.
- To establish inclusive financing options involving subsidies, microfinance, rent-to-own systems, savings groups, and cooperative mechanisms.
- To encourage community participation in planning, construction monitoring,

maintenance, and local service management.

- To measure affordability, energy efficiency, water efficiency, indoor comfort, resilience, land-use efficiency, and social inclusion.
- To compare the proposed sustainable housing framework with conventional low-cost housing approaches.
- To provide an adaptable model for municipalities, housing boards, non-profit organizations, developers, and community-based organizations.

4. RESEARCH METHODOLOGY

The proposed Sustainable Housing Models for Low-Income Urban Families follow a systematic, household-centred methodology. The first stage is household and community profiling. This stage gathers information on income range, employment type, family size, gender and accessibility needs, current rent or housing payments, utility expenses, commuting costs, tenure status, and priorities for future housing. The second stage assesses land and neighbourhood conditions, including access to employment centres, schools, healthcare, public transport, water, sanitation, drainage, green space, and emergency services. Climate hazards such as urban heat, flooding, water scarcity, and landslide risk are also considered.


The third stage applies a housing-model selection process. Serviced plots and incremental core housing may be suitable where households have stable access to land but limited upfront capital. Rental housing can be appropriate for migrant workers and households with mobile employment. Cooperative housing can support collective financing and shared service management. In-situ upgrading can protect existing social networks while improving infrastructure and safety in informal settlements. Mixed-income development may improve cross-subsidy opportunities when supported by inclusive allocation and anti-displacement measures. Each model is assessed against affordability, location, infrastructure, tenure, environmental performance, and implementation capacity.

The fourth stage integrates sustainable design and construction principles. Core design measures include compact layouts, modular room sizes, cross-ventilation, solar orientation,

shading, daylighting, heat-resistant roofing, moisture protection, low-flow water fixtures, rainwater collection, efficient lighting, safe electrical layouts, and provision for future rooftop solar systems. Material choices prioritize durability, local availability, repairability, and lower embodied

environmental impact where possible. The final stage establishes a monitoring framework that tracks affordability, resource use, maintenance needs, resident satisfaction, indoor comfort, service reliability, and resilience over the life of the housing programme.

Figure 4.1: Improvement in Sustainable Housing Performance



5. DATA ANALYSIS

The data analysis section presents a scenario-based evaluation structure for comparing a conventional low-cost housing approach with the proposed sustainable housing model. The comparison is illustrative and is intended to show how housing programmes can be assessed using a broader set of indicators. The framework considers entry affordability as well as long-term operating costs, resource efficiency, durability, indoor comfort, location efficiency, climate resilience, and community participation. Scores are expressed on a normalized 100-point scale to support transparent comparison across alternative designs and delivery models.

The illustrative assessment assumes that the proposed model combines compact design, passive cooling, water-saving systems, modular expansion, basic tenure support, nearby services, and participatory maintenance arrangements. The conventional model is assumed to focus primarily on minimum initial construction cost with limited attention to life-cycle performance. The results should not be interpreted as empirical outcomes from a specific site; instead, they demonstrate how a municipal housing agency or project team can structure a multi-criteria evaluation before implementation.

5.1 PERFORMANCE EVALUATION RESULTS

Evaluation Metric	Conventional Low-Cost Housing	Proposed Sustainable Housing Model
Entry Affordability Score	74.2	86.5
Life-Cycle Cost Score	61.7	83.8
Energy Efficiency	58.7	82.9
Water Efficiency	56.8	80.5
Indoor Comfort	63.2	85.1
Climate Resilience	54.6	84.3
Community Participation	51.4	87.3
Land-Use and Location Efficiency	69.5	84.6

6. DISCUSSION

The proposed sustainable housing framework demonstrates why affordable housing should be evaluated as a long-term household and neighbourhood system rather than as a one-time construction product. The illustrative comparison indicates that housing models can improve affordability even when some sustainable measures raise initial design or construction costs, because lower energy use, reduced water demand, fewer repairs, lower commuting burdens, and better climate protection can reduce expenses over time. The framework therefore supports life-cycle affordability, in which the question is not only whether a family can enter a housing programme, but whether it can remain securely housed without sacrificing food, health, education, or livelihood needs.

A key strength of the model is its flexibility. It does not require all cities to use the same dwelling type or tenure mechanism. Instead, it offers a structured way to match options with local conditions. In dense urban areas with limited land, well-managed rental housing, cooperative housing, or in-situ upgrading may be more appropriate than peripheral ownership schemes. Where households have access to serviced land, incremental housing can allow families to build safely over time. Community participation is also essential because residents can identify realistic affordability limits, maintenance priorities, safety concerns, and local service gaps that may not be visible through technical design alone.

Implementation depends on coordinated governance. Municipal authorities need to align land management, building approvals, infrastructure investment, transport planning, housing finance, and social protection. Financial institutions and housing agencies can

support affordability through blended subsidies, low-interest loans, savings-linked finance, rental vouchers, and risk-sharing arrangements. Technical assistance is necessary to ensure that low-cost construction does not compromise structural safety, fire protection, accessibility, or climate resilience. Long-term monitoring should include resident feedback, utility bills, maintenance records, and evidence of displacement or exclusion.

7. CONCLUSION

Sustainable Housing Models for Low-Income Urban Families present an integrated approach for addressing affordability, environmental quality, social inclusion, and resilience in urban housing. The framework recognizes that a low initial price is not sufficient when households face high utility costs, insecure tenure, long commutes, poor indoor comfort, unsafe locations, and expensive repairs. By combining household profiling, site assessment, model selection, incremental design, efficient services, climate-responsive construction, inclusive financing, and community participation, the proposed approach provides a practical pathway for more durable and equitable housing delivery.

The scenario-based evaluation framework shows how policy makers and project teams can compare alternatives using life-cycle affordability and sustainability indicators. Future research should test the model through site-specific case studies, resident surveys, post-occupancy evaluations, cost analyses, and climate-risk assessments in different urban contexts. With strong local governance and meaningful resident participation, sustainable housing can become a foundation for healthier, more inclusive, resource-efficient, and resilient cities.

8. REFERENCES

1. Abrams, C. (1964). *Man's Struggle for Shelter in an Urbanizing World*. MIT Press.
2. Angel, S. (2000). *Housing Policy Matters: A Global Analysis*. Oxford University Press.
3. Boonyabancha, S. (2005). Baan Mankong: Going to Scale with Slum and Squatter Upgrading in Thailand. *Environment and Urbanization*, 17(1), 21-46. <https://doi.org/10.1177/095624780501700104>
4. Bredenoord, J., & van Lindert, P. (2010). Pro-poor Housing Policies: Rethinking the Potential of Assisted Self-help Housing. *Habitat International*, 34(3), 278-287. <https://doi.org/10.1016/j.habitatint.2009.12.001>
5. Buckley, R. M., & Kalarickal, J. (Eds.). (2005). *Housing Policy in Developing Countries: Conjectures and Refutations*. World Bank.

6. Cities Alliance. (2003). Cities Without Slums: Action Plan for Moving Slum Upgrading to Scale. Cities Alliance.
7. Davidson, C. H., Johnson, C., Lizarralde, G., Dikmen, N., & Sliwinski, A. (2007). Truths and Myths about Community Participation in Post-disaster Housing Projects. *Habitat International*, 31(1), 100-115. <https://doi.org/10.1016/j.habitatint.2006.08.003>
8. Gilbert, A. (2004). Helping the Poor through Housing Subsidies: Lessons from Chile, Colombia and South Africa. *Habitat International*, 28(1), 13-40. [https://doi.org/10.1016/S0197-3975\(02\)00070-X](https://doi.org/10.1016/S0197-3975(02)00070-X)
9. Intergovernmental Panel on Climate Change. (2022). Climate Change 2022: Impacts, Adaptation and Vulnerability. Cambridge University Press.
10. International Energy Agency. (2023). Buildings: Tracking Clean Energy Progress. IEA.
11. Lizarralde, G., Johnson, C., & Davidson, C. H. (2010). Rebuilding After Disasters: From Emergency to Sustainability. Spon Press.
12. Mitlin, D. (2008). With and Beyond the State: Co-production as a Route to Political Influence, Power and Transformation for Grassroots Organizations. *Environment and Urbanization*, 20(2), 339-360. <https://doi.org/10.1177/0956247808096117>
13. Payne, G. (2005). Getting Ahead of the Game: A Twin-track Approach to Improving Existing Slums and Reducing the Need for Future Slums. *Environment and Urbanization*, 17(1), 135-145. <https://doi.org/10.1177/095624780501700111>
14. Pugh, C. (2001). The Theory and Practice of Housing Sector Development for Developing Countries, 1950-99. *Housing Studies*, 16(4), 399-423. <https://doi.org/10.1080/02673030120066561>
15. Satterthwaite, D., Archer, D., Colenbrander, S., Dodman, D., Hardoy, J., Mitlin, D., & Patel, S. (2020). Building Resilience to Climate Change in Informal Settlements. *One Earth*, 2(2), 143-156. <https://doi.org/10.1016/j.oneear.2020.02.002>
16. United Nations. (2015). Transforming Our World: The 2030 Agenda for Sustainable Development. United Nations.
17. United Nations. (2016). New Urban Agenda. United Nations.
18. United Nations Department of Economic and Social Affairs. (2019). World Urbanization Prospects: The 2018 Revision. United Nations.
19. UN-Habitat. (2003). The Challenge of Slums: Global Report on Human Settlements 2003. Earthscan.
20. UN-Habitat. (2015). Housing at the Centre of the New Urban Agenda. United Nations Human Settlements Programme.
21. UN-Habitat. (2020). World Cities Report 2020: The Value of Sustainable Urbanization. United Nations Human Settlements Programme.
22. UN-Habitat. (2022). World Cities Report 2022: Envisaging the Future of Cities. United Nations Human Settlements Programme.
23. United Nations Environment Programme. (2021). 2021 Global Status Report for Buildings and Construction. UNEP.
24. World Bank. (1993). Housing: Enabling Markets to Work. World Bank.
25. World Bank. (2015). Stocktaking of the Housing Sector in Sub-Saharan Africa. World Bank.
26. World Health Organization. (2018). WHO Housing and Health Guidelines. World Health Organization.
27. Turner, J. F. C. (1976). Housing by People: Towards Autonomy in Building Environments. Marion Boyars.
28. Turok, I. (2015). Cities and Economic Development. Routledge.
29. Vale, B., & Vale, R. (2010). Green Architecture: Design for a Sustainable Future. Thames & Hudson.
30. Yates, J., & Milligan, V. (2007). Housing Affordability: A 21st Century Problem. National Research Venture 3: Housing Affordability for Lower Income Australians.